


DEVIL PHYSICS
BADDEST CLASS ON CAMPUS
PRE-DP PHYSICS / IB PHYSICS

Science Department Safety Checklist*

CLASSROOM/LABORATORIES (All Teachers)

- ___ a. Aisles are free from obstruction.
- ___ b. Counter and work benches are free from clutter.
- ___ c. Food (including coffee) is neither prepared nor consumed.
- ___ d. Extension cords are not a part of permanent electrical hookups and shall not impede traffic patterns.
- ___ e. Safety showers are accessible and operative. They should be flushed annually. (N/A B304)
- ___ f. Safety eyewashes are accessible and operative. They should be flushed every two weeks.
- ___ g. Fire extinguishers are conspicuous, charged and accessible.
- ___ h. A non-asbestos fire blanket is conspicuous and accessible. (N/A B304)
- ___ i. Fireproof waste containers with covers are provided for spent matches, filter paper, and flammable chemicals. (N/A B304)
- ___ j. Fire exits are clearly marked and easily accessible.
- ___ k. Chemicals are replaced in the storage room after use for a certain activity. (N/A B304)
- ___ l. An adequate number of laboratory stations is provided.
- ___ m. An adequate number of electrical receptacles are provided and accessible.
- ___ n. Safety goggles, face shields, aprons, etc. are provided when hazardous conditions exist.
- ___ o. A sufficient number of goggle sanitizing cabinets are present. (N/A B304)
- ___ p. A gas master cut-off switch is present and kept locked in the closed position except during actual activities requiring gas.
- ___ q. All electrical apparatus is inspected and maintained.
- ___ r. Sink drains are kept free from solid wastes.
- ___ s. The fire alarm pull box is accessible and operable.
- ___ t. Where required, fume hoods are present and operable and free from clutter. (N/A B304)
- ___ u. Sand trays are provided when working with alcohol lamps. (N/A B304)

- _____ v. Pipette fillers are provided when necessary. (N/A B304)
- _____ w. Ventilation to the outside is provided.
- _____ x. All electrical equipment not double insulated is properly grounded.